

Say Hello to The New

ZOE



Introduction to the new ZOE version 2026.

The new ZOE merges the ZOE SED & ZOE COMPETITION into one version. A new platform which elevates the modularity even in our access model.

SANREMO
COFFEEMACHINES



Mini

Technical Data

	2 Group Mini	2 Group	3 Group
OPERATING VOLTAGE	230 VAC single phase		
TOTAL MAX POWER / BOILER HEATING ELEMENT	2500 W	2700 W	2700 W
HYDRAULIC CIRCUIT	HEAT EXCHANGER		
STEAM BOILER HEAT MANAGEMENT	Adjustable mechanical pressostat		
SERVICE BOILER CAPACITY	Copper / 7L	Copper / 9L	Copper / 12.5L
PUMP'S RATING	Motor 250 W_Pump capacity rated 150L/h		
Net Weight	45 Kg	55 Kg	69 Kg
Gross Weight	51 Kg	59 Kg	73 Kg



2 Group Mini

530 mm



512 mm

85 mm

530 mm



Standard Features

NEW STEAM KNOB

Better grip, design and serviceability

NEW KEYPAD

Integrated shot counter keypads also handle programming functions.

GROUP FLUSHING & AUTOMATIC CLEANING CYCLE

With a simple press of the manual button, a small quantity of water is dispensed to always keep the group clean. Programmable automatic cleaning cycle.

HOT WATER

Dedicated button with dual programmable doses

LED SPOTS

Activable by the keypad

PREINFUSION

Delayed activation of group solenoid. Independent for single/double shots.



Extra Features

ADVANCED ELECTRONICS

New keypads & main control board are combining, in addition to the reliability, new features for an easier programming.

- More intuitive technical -programming menu for activating various features, making the experience more enjoyable.
- Expanded keyboard shortcuts.
- Added alarm codes displayed on the screen.
- New quick menu for pre-infusions.

FRAME AND INTERNAL LAYOUT

Easily removable panels to increase accessibility; internal layout improved for the serviceability of all components.

DUAL GAUGE WITH NEW PUMP

New high-performance pump's motor. Dual gauge Boiler and pump pressure; now more visible

NEW DRIP TRAY AND DRAIN BOX

Realised in a press-forming process with rounded internal edges for easier cleaning; supported by specific bumpers to protect the frame from scratches. The new drain box improves the draining capability.

NEW LEGS

Large legs with integrated and adjustable rubber feet

ZOE

Steam System



EASE OF USE

Automatically froths milk at the touch of a button; adjust temperature, foam quantity, and texture directly from the display. Up to two different recipes (example):

One click => recipe 1, Dairy Milk Flat White

Double click => recipe 2, Oat Milk Cappuccino

FULLY INTEGRATED

Built into the machine for optimal ergonomics and space efficiency.

FLEXIBLE

Program up to two recipes for consistent, high-quality results anywhere.

MINIMAL TRAINING

Quick to set up and easy for anyone to use, saving time and training costs.

SANREMO
COFFEE MACHINES

Colors



FULL BLACK

Contact Us

Mobile Number: +966 53 885 9093

Email: customer-service@rfa-sa.com

Websites: www.rfa-sa.com ,
www.sanremosaudi Arabia.com

Online Shop: <https://shop.rfa-sa.com/>

Instagram:

@rfa_sa_

@sanremosaudi Arabia