




Datasheet





BABY EL 40X60 8T/10T WITH PROOFER











1	Water discharge	Ø 1"
2	Steam exhaust pipe	Ø 120 mm
3	Steam generator water arrival	Ø 1/2"
4	Electrical energy arrival	12,5 kW

FEATURES

		8T	10T
DESCRIPTION	U.M.	VALUE	VALUE
Constructive characteristics			
Weight	Kg	285	305
Oven height	mm	1090	1260
SEE DIMENSION "H" IN THE DRAWING ON PAGE 2			
Overall dimensions (bigger part)	mm	1040x920	1040x920
Rack max width	mm	460	460
FORESEEN SPACE BETWEEN RACK AND DOOR FRAME : 5 MM			
Rack max diagonal	mm	720	720
FORESEEN SPACE BETWEEN RACK AND BAKING CHAMBERS WALLS : 17 MM			
Rack max load	Kg	40	50
Technica characteristics			
Number of trays	nr	8	10
Baking surface	m ²	1,9	2,4
TRAYS 40x60			
Hourly production	Kg	25	30
Max working temperature	°C	300	300
Temperature rise gradient	°C/min	12	12
ON EMPTY OVEN			
Temperature rise gradient	°C/min	6	6
ON FULLY LOADED OVEN			
Ventilator characteristics			
Air flow	m ³ /min	3÷10	4÷11
MODEL ECB 160 ECB 180			
Motor power	hp (kw)	0,75 (0,55)	0,75 (0,55)
2800 RPM - MOD. H71B2VE/B5			
Steam suction fan characteristics			
Air flow	m ³ /min	9÷10	9÷10
MOD. R2E 190 A026-05			
Motor power	kw	0,1	0,1
Diameter steam exhaust pipe	mm	120	120
Steam generator characteristics			
Humidification interval	min	20	20
FOR OVEN AT 250 °C			
Incoming water pressure	bar	1,5	1,5
Diameter water arrival pipe	inch	1/2 “	1/2 “
Diameter water discharge pipe	inch	1”	1”
Installed capacities			
Electrical power	kw	12	12
Consumption			
Overage daily consumption	Kw/h	6 ÷ 9	6 ÷ 9
INDICATIVE VALUE CALCULATED ON 8 HOURS OPERATION			

PROOFER

DESCRIPTION	U.M.	VALUE	
Constructive characteristics			
Overall dimensions (bigger part)	mm	1040x920	1040x920
Dimensions trays	cm	40x60	
Number of trays	nr	16	
Trays distance	mm	80	
Weight	Kg	90	
Technica characteristics			
Max working temperature	°C	45	
Installed capacities			
Electrical power	kw	0,5	
Consumption			
Overage daily consumption	kw /h	0,3	
INDICATIVE VALUE CALCULATED ON 8 HOURS OPERATION			