TECNO90

313070 CP4FG9

GN1/1 FREESTANDING GAS PASTA COOKER 40L ON CLOSED CABINET - BASKETS NOT INCLUDED



- Freestanding GN1/1 gas pasta cooker 40 L on a closed cabinet (40 cm).
- Power: 15 kW.
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Pasta cookers are used to boil rice, vegetables, meat and other products.
- Deep drawn worktop with a seamlessly welded deep drawn pressed cooking tank, featuring rounded corners, overflow-proof tank and large foam expansion area.
- AISI 316 stainless steel tank, outlet pipe drainpipe, and false bottom for long-lasting resistance against salt corrosion.
- Heating through a 15 kW tubular burner outside the tank.
- Valved gas cock.
- Piezoelectric ignition.
- Pilot burner and safety thermocouple.
- Safety thermostat to protect the tank against ignition without water or excessive evaporation.
- Water inlet on the worktop rear. at the rear of the worktop.
- Overflow for draining starch in the front part of the tank.
- Bottom drain.
- Technical compartment for easy connection to the gas network.
- Baskets not included.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.

TECNOINOX Srl reserves the right to make changes at any time, even without notice.

TECHNICAL DATA


TOTAL POWER	15 kW	GAS POWER	15 kW
TANK CAPACITY	40lt	CAMPO_0106	0002
NATURAL GAS CONSUMPTION	1,58 m³/h	LPG CONSUMPTION	1.18 kg/h
TANK DIMENSIONS	51x30,5x31 cm	TANK TYPE	AISI 316
CE GAS CERTIFICATE NUMBER	CE-0085BO0097	WATER CONNECTION POSITION	Bottom
WATER DRAIN POSITION	Bottom	GAS CONNECTION DIAMETER	3/4"G EN10226-1
GAS CONNECTION HEIGHT (H)	0 mm	GAS CONNECTION HEIGHT (X)	367 mm
GAS CONNECTION HEIGHT (Y)	-671 mm	WATER CONNECTION DIAMETER	1/2"
WATER CONNECTION HEIGHT (H)	0 mm	WATER CONNECTION HEIGHT (X)	120 mm
WATER CONNECTION HEIGHT (Y)	-620 mm	DRAIN DIAMETER	1"
DRAIN CONNECTION HEIGHT (H)	0 mm	DRAIN CONNECTION HEIGHT (X)	295 mm
DRAIN CONNECTION HEIGHT (Y)	-620 mm	FOOT HEIGHT	133 mm
FOOT ADJUSTMENT	133/195 mm	WIDTH	40 cm
DEPTH	90 cm	HEIGHT	90 cm
PACKAGE WIDTH	46 cm	PACKAGE DEPTH	100 cm
PACKAGE HEIGHT	115 cm	NET WEIGHT	62 kg
GROSS WEIGHT	72 kg	VOLUME	0,53 m³
HARMONISED CODE	84198180	LATENT HEAT RELEASE	4500.0 W
SENSIBLE HEAT RELEASE	1500.0 W	STEAM RELEASE	6615.0 g/h

ACCESSORIES

120650 LID (GN1/1)
319009 REAR COVERING PANEL FOR CABINET (L=40CM)
399504 PASTA COOKER BASKET (3 X GN1/3) - DIM. CM (29X16X20H)
399505 PASTA COOKER BASKET (1 X GN1/3 + 2 X GN2/6) - DIM. CM (29X16X20H)
399506 PASTA COOKER BASKET (2 X GN1/3 + 2 X GN1/6) - DIM. CM (29X16X20H) (14X14X20H)
399507 PASTA COOKER BASKET (1 X GN1/3 + 4 X GN1/6) - DIM. CM (29X16X20H) (14X14X20H)
399508 PASTA COOKER BASKET (1 X GN1/3 + 1 X GN2/3) - DIM. CM (29X16X20H) (29X29X20H)
399530 SIDE COVERING PANEL FOR A 1-MODULE CABINET
399548 PASTA COOKER BASKET (6 X GN1/6) - DIM. CM (14X14X20H)
399553 PASTA COOKER BASKET (2 X GN1/2) - DIM. CM (29X24X20H)
399572 PASTA COOKER BASKET (GN1/1) - DIM. CM (49X29X20H)
399573 PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)

TECNOINOX Srl reserves the right to make changes at any time, even without notice.

INSTALLATION SCHEMES



5415.640.01