



PUQPRESS M1

Designed to fit under your K30 or Peak





The M3 comes with a two-year warranty. Regardless of the number of tamps.



NEW NON-STICK TAMPER FINISH
Even less coffee sticks to your tamper
due to our NEW NON-STICK finish.

BLACI
The M
& Ditti

BLACK, WHITE OR ANTRACITE?
The M1 comes in all official Mahlkonig& Ditting colours.

NO NEED FOR COUNTER SPACE

ORDER YOURS NOW

PRICING INFO >

DESIGNED FOR

K30 & PEAK BY MAHLKÖNIG & DITTING

MEDIUM Capacity. 200.000 tamp- in 2 year warranty

SPECIFICATIONS

PUQPRESS M1

Dimensions(DxWxH): 30x23x17cm Input: 110-240Vac 50-60Hz Power: 76 W Plug type: All Cycle duration: 1.3s Tamper diameter: 53.0 - 58.3mm Suitable for: All types of portafilters. Naked, Single sprout and double sprouts Naked portafilter compatibility: Yes Non-stick coating: Yes Fine adjustment lower damp: No Force adjustment: Steps of 1kg in the range from 10 - 30kg Available colours: CB,CE, CETLus, KTC, EAC, NSF-8		
Input: 110-240Vac 50-60Hz Power: 76 W Plug type: All Cycle duration: 1.3s Tamper diameter: 53.0 - 58.3mm Suitable for: All types of portafilters. Naked, Single sprout and double sprouts Naked portafilter compatibility: Yes Non-stick coating: Yes Fine adjustment lower damp: No Force adjustment: Steps of 1kg in the range from 10 - 30kg Available colours: Matt black, matt white, high gloss black, Silver/Anthracite	Net weigth:	5KG
Power: 76 W Plug type: All Cycle duration: 1.3s Tamper diameter: 53.0 - 58.3mm Suitable for: All types of portafilters. Naked, Single sprout and double sprouts Naked portafilter compatibility: Yes Non-stick coating: Yes Fine adjustment lower damp: No Force adjustment: Steps of 1kg in the range from 10 - 30kg Available colours: Matt black, matt white, high gloss black, Silver/Anthracite	Dimensions(DxWxH):	30x23x17cm
Plug type: Cycle duration: 1.3s Tamper diameter: 53.0 - 58.3mm Suitable for: All types of portafilters. Naked, Single sprout and double sprouts Naked portafilter compatibility: Yes Non-stick coating: Yes Fine adjustment lower damp: No Force adjustment: Steps of 1kg in the range from 10 - 30kg Available colours: Matt black, matt white, high gloss black, Silver/ Anthracite	Input:	110-240Vac 50-60Hz
Cycle duration: 1.3s Tamper diameter: 53.0 - 58.3mm Suitable for: All types of portafilters. Naked, Single sprout and double sprouts Naked portafilter compatibility: Yes Non-stick coating: Yes Fine adjustment lower damp: No Force adjustment: Steps of 1kg in the range from 10 - 30kg Available colours: Matt black, matt white, high gloss black, Silver/ Anthracite	Power:	76 W
Tamper diameter: 53.0 - 58.3mm Suitable for: All types of portafilters. Naked, Single sprout and double sprouts Naked portafilter compatibility: Yes Non-stick coating: Yes Fine adjustment lower damp: No Force adjustment: Steps of 1kg in the range from 10 - 30kg Available colours: Matt black, matt white, high gloss black, Silver/Anthracite	Plug type:	All
Suitable for: All types of portafilters. Naked, Single sprout and double sprouts Yes Non-stick coating: Yes Fine adjustment lower damp: No Force adjustment: Steps of 1kg in the range from 10 – 30kg Available colours: Matt black, matt white, high gloss black, Silver/ Anthracite	Cycle duration:	1.3s
Naked portafilter compatibility: Non-stick coating: Yes Fine adjustment lower damp: No Force adjustment: Steps of 1kg in the range from 10 – 30kg Available colours: Matt black, matt white, high gloss black, Silver/ Anthracite	Tamper diameter:	53.0 – 58.3mm
compatibility: Non-stick coating: Yes Fine adjustment lower damp: No Force adjustment: Steps of 1kg in the range from 10 – 30kg Available colours: Matt black, matt white, high gloss black, Silver/ Anthracite	Suitable for:	
Fine adjustment lower damp: No Steps of 1kg in the range from 10 – 30kg Available colours: Matt black, matt white, high gloss black, Silver/ Anthracite		Yes
Force adjustment: Steps of 1kg in the range from 10 – 30kg Matt black, matt white, high gloss black, Silver/ Anthracite	Non-stick coating:	Yes
Available colours: Matt black, matt white, high gloss black, Silver/ Anthracite	Fine adjustment lower damp:	No
Available colours: Anthracite	Force adjustment:	Steps of 1kg in the range from 10 – 30kg
Certifications: CB.CE, cETLus, KTC, EAC, NSF-8	Available colours:	
	Certifications:	CB,CE, cETLus, KTC, EAC, NSF-8





CONSISTENT QUALITY MAKES ROOM FOR CREATIVITY

Tamping is an important part of a barista's craft, but doing it by hand hundreds of times a day damages shoulders and wrists. So why not let Puppress deliver **the perfect tamp** for you?

No strain or pain, more time for creativity, craftsmanship and customers.





MY HANDS ARE THE BIGGEST FANS, AS WELL AS AN INCREASE IN MORALE AND CUSTOMER ENGAGEMENT.



J. Bowen

Seven Miles Coffee



